

FRESAS DE RANURAR WOODRUFF

HSSCo


- **Ejecución:** HSSCo, DIN 850B, con dentado cruzado.
- **Aplicación:** para el fresado de ranuras.



143103

Unid:mm

HSSCo

DIN
850B

10°

Tol D
h11Tol D1
h6

CÓDIGO

D

L

D1

L1

Z

0401

4,50

1,0

6

50

6

0701

7,50

1,5

6

50

6

0702

7,50

2,0

6

50

6

1001

10,50

2,0

6

50

8

1002

10,50

2,5

6

50

8

1003

10,50

3,0

6

50

8

1303

13,50

2,5

10

56

8

1304

13,50

3,0

10

56

8

1305

13,50

4,0

10

56

8

1603

16,50

3,0

10

56

8

1604

16,50

4,0

10

56

8

1605

16,50

5,0

10

56

8

1904

19,50

4,0

10

63

10

1905

19,50

5,0

10

63

10

1906

19,50

6,0

10

63

10

2205

22,50

5,0

10

63

10

2206

22,50

6,0

10

63

10

2208

22,50

8,0

10

63

10

2506

25,50

6,0

10

63

10

2508

25,50

8,0

10

63

10

2805

28,50

5,0

10

63

10

2806

28,50

6,0

10

63

10

2808

28,50

8,0

10

63

10

2810

28,50

10,0

12

71

10

3205

32,50

5,0

12

71

12

3207

32,50

7,0

12

71

12

3208

32,50

8,0

12

71

12

3210

32,50

10,0

12

71

12

3808

38,50

8,0

12

71

12

3810

38,50

10,0

12

71

12

4510

45,50

10,0

12

71

14

Aceros Carbono	Aceros Aleados	Aceros Preendurecidos	Aceros Endurecidos		Fundición	Aluminio	Inoxidable	Titanio	Cobre	Bronce	CFRP
~HB225 ⊙	HB225 ~325 ⊙	HRC30~45	HRC 45 ~55	HRC 55~							


⊙ : Excelente

○ : Bueno

FRESAS RADIO 1/4

HSSCo


- **Ejecución:** HSSCo, tipo N, DIN 6518B, cóncava.
- **Aplicación:** para el remontado de aristas exteriores.



143104

Unid:mm

HSSCo

DIN
6518BTol R
H11Tol D₁
h6

CÓDIGO	R	D	D1	L1
0100	1,00	8,00	10	60
0150	1,50	9,00	10	60
0200	2,00	10,00	10	60
0250	2,50	11,00	10	60
0300	3,00	12,00	12	60
0400	4,00	14,00	12	60
0500	5,00	16,00	12	60
0600	6,00	20,00	16	67
0700	7,00	22,00	16	71
0800	8,00	24,00	16	71
0900	9,00	26,00	25	85
1000	10,00	28,00	25	85
1200	12,00	34,00	25	90
1250	12,50	41,00	25	100
1600	16,00	48,00	25	100
2000	20,00	56,00	32	112

Aceros Carbono	Aceros Aleados	Aceros Preendurecidos	Aceros Endurecidos		Fundición	Aluminio	Inoxidable	Titanio	Cobre	Bronce	CFRP
~HB225 ◎	HB225 ~325 ◎	HRC30~45	HRC 45 ~55	HRC 55~							

◎ : Excelente

○ : Bueno