


JUEGO DE MACHOS PARA ROSCAR A MANO

UNC


- **Ejecución:** HSS, DIN 352.
- Juego de 3 piezas
- **Aplicación:** uso general, materiales con dureza hasta 750 N/mm².



151067

Unid: mm

HSS

DIN
352Tol
2B

CÓDIGO	ROSCA-HILOS	D	L	L1	☐	TALADRADO
0164	UNC nº1-64h	1,85	8	36	2,1	1,50
0256	UNC nº2-56h	2,18	9	36	2,1	1,80
0348	UNC nº3-48h	2,51	9	40	2,1	2,10
0440	UNC nº4-40h	2,84	11	40	2,7	2,25
0540	UNC nº5-40h	3,17	11	40	2,7	2,60
0632	UNC nº6-32h	3,50	13	45	3,0	2,75
0832	UNC nº8-32h	4,17	13	45	3,4	3,50
1024	UNC nº10-24h	4,83	16	50	4,9	3,90
1224	UNC nº12-24h	5,49	19	50	4,9	4,50
1420	UNC 1/4-20h	6,35	19	50	4,9	5,10
1618	UNC 5/16-18h	7,94	22	56	4,9	6,60
1816	UNC 3/8-16h	9,52	24	70	5,5	8,00
2014	UNC 7/16-14h	11,11	24	70	6,2	9,40
2213	UNC 1/2-13h	12,70	29	75	7,0	10,75
2412	UNC 9/16-12h	14,28	30	80	9,0	12,20
2611	UNC 5/8-11h	15,87	32	80	9,0	13,50
3010	UNC 3/4-10h	19,05	40	95	11,0	16,50
3209	UNC 7/8-9h	22,22	40	100	14,5	19,50
3408	UNC 1-8h	25,40	50	110	14,5	22,25
3608	UNC 1.1/8-7h	28,57	56	125	18,0	25,00
3807	UNC 1.1/4-7h	31,75	56	125	18,0	28,00
4006	UNC 1.3/8-6h	34,92	63	150	22,0	30,75
4203	UNC 1.1/2-6h	38,10	63	150	24,0	34,00
5004	UNC 2-4,5h	50,80	75	180	32,0	45,00

Aceros Carbono	Aceros Aleados	Aceros Preendurecidos	Aceros Endurecidos		Fundición	Aluminio	Inoxidable	Titanio	Cobre	Bronce	CFRP
~HB225 ◎	HB225 ~325	HRc30~45	HRc 45 ~55	HRc 55~							

- Consulten plazo de entrega.

◎ : Excelente

○ : Bueno