


JUEGO DE MACHOS PARA ROSCAR A MANO

UNF


- **Ejecución:** HSS, DIN 2181.
- Juego de 2 piezas
- **Aplicación:** uso general, materiales con dureza hasta 750 N/mm².



151068

Unid:mm

HSS

DIN
2181Tol
2B

CÓDIGO	ROSCA-HILOS	D	L	L1	☑	TALADRADO
0264	UNF nº2-64h	2,18	8	36	2,1	1,85
0356	UNF nº3-56h	2,51	9	40	2,1	2,15
0448	UNF nº4-48h	2,84	9	40	2,7	2,35
0544	UNF nº5-44h	3,17	10	45	2,7	2,70
0640	UNF nº6-40h	3,50	16	45	3,0	2,95
0836	UNF nº8-36h	4,17	12	50	3,4	3,50
1032	UNF nº10-32h	4,83	12	50	4,9	4,10
1228	UNF nº12-28h	5,49	12	50	4,9	4,60
1428	UNF 1/4-28h	6,35	14	50	4,9	5,50
1624	UNF 5/16-24h	7,94	22	56	4,9	6,90
1824	UNF 3/8-24h	9,52	20	63	5,5	8,50
2020	UNF 7/16-20h	11,11	20	63	6,2	9,90
2220	UNF 1/2-20h	12,70	22	70	7,0	11,50
2418	UNF 9/16-18h	14,29	22	70	9,0	12,90
2618	UNF 5/8-18h	15,87	22	70	9,0	14,50
3016	UNF 3/4-16h	19,05	22	80	11,0	17,50
3214	UNF 7/8-14h	22,22	22	80	14,5	20,40
3412	UNF 1-12h	25,40	22	90	16,0	23,25
3612	UNF 1.1/8-12h	28,57	22	90	18,0	26,50
3812	UNF 1.1/4-12h	31,75	22	90	20,0	29,50
4012	UNF 1.3/8-12h	34,92	35	125	22,0	32,80
4212	UNF 1.1/2-12h	38,10	40	125	22,0	36,00
5012	UNF 2-12h	50,80	40	140	29,0	48,38

Aceros Carbono	Aceros Aleados	Aceros Preendurecidos	Aceros Endurecidos		Fundición	Aluminio	Inoxidable	Titanio	Cobre	Bronce	CFRP
~HB225 ◎	HB225 ~325	HRc30~45	HRc 45 ~55	HRc 55~							

- Consulten plazo de entrega.

◎ : Excelente

○ : Bueno