


BROCAS CENTRAR METAL DURO

MD

- **Aplicación:** taladrado de aceros en general, fundición.
- Forma A 60°.



223001

Unid:mm

MD
MGDIN
333Tol D
k12Tol. D₁
h8

CÓDIGO	D	D1	L	L1	CÓDIGO	D	D1	L	L1
0315	1,25	3,15	1,6	31,5	0800	3,15	8,0	3,9	50
0400	1,60	4,0	2,0	35,5	1000	4,00	10,0	5,0	56
0500	2,00	5,0	2,5	40,0	1250	5,00	12,5	6,3	63
0630	2,50	6,3	3,1	45,0	1600	6,30	16,0	8,0	71

Aceros Carbono	Aceros Aleados	Aceros Preendurecidos	Aceros Endurecidos		Fundición	Aluminio	Inox	Titanio	Cobre	Bronce	CFRP
~HB225 ⊙	HB225 ~325 ⊙	HRc30~45 ○	HRc 45 ~55	HRc 55~	○	○	○		○	○	

⊙ : Excelente

○ : Bueno