



CONOS ISO DIN 2080


INFORMACION TÉCNICA



FORMA A
SIN REFRIGERACION INTERIOR




FORMA AD
CON REFRIGERACION INTERIOR



FORMA AD/B
CON REFRIGERACION INTERIOR Y AXIAL

ISO



ISO	d1	d2	d3	d4	d5	L1	L2	L3	L4	L5	L6
30	31,75	50,00	16,30	M12	10,5	68,4	8	1,6	53	2	16,1
40	44,45	63,00	21,10	M16	17	93,40	10	1,6	82	7	16,1
50	69,85	97,50	32,00	M24	25	126,8	12	1,6	115	13	25,7

PORTAFRESAS WELDON DIN 2080



SIN REFRIGERACION A

CÓDIGO	ISO	Ø FRESA	L
6630314006	40	6	50
6630314008	40	8	50
6630314010	40	10	50
6630314012	40	12	50
6630314014	40	14	63
6630314016	40	16	63
6630314018	40	18	63
6630314020	40	20	63
6630314025	40	25	90
6630314032	40	32	90
6630314040	40	40	90

CÓDIGO	ISO	Ø FRESA	L
6630315006	50	6	50
6630315008	50	8	50
6630315010	50	10	63
6630315012	50	12	63
6630315014	50	14	63
6630315016	50	16	63
6630315018	50	18	63
6630315020	50	20	63
6630315025	50	25	80
6630315032	50	32	85
6630315040	50	40	95

PORTAFRESA FRONTAL PARA PLATO DIN 2080



SIN REFRIGERACION A

CÓDIGO	ISO	Ø FRESA	L
6630374016	40	16	45
6630374022	40	22	45
6630374027	40	27	45
6630374032	40	32	50
6630374040	40	40	55

CÓDIGO	ISO	Ø FRESA	L
6630375022	50	22	45
6630375027	50	27	45
6630375032	50	32	50
6630375040	50	40	50

REDUCTOR A CONO MORSE C/LENGÜETA DIN 2080



SIN REFRIGERACION A

CÓDIGO	ISO	CONO	L
6630614001	40	1	50
6630614002	40	2	50
6630614003	40	3	65
6630614004	40	4	95

CÓDIGO	ISO	CONO	L
6630615001	50	1	45
6630615002	50	2	60
6630615003	50	3	65
6630615004	50	4	70
6630615005	50	5	105

PORTAPINZA PARA PINZA TIPO ER DIN 2080



SIN REFRIGERACION A

CÓDIGO	ISO	PINZA	L
6630013016	30	ER16	50
6630013025	30	ER25	50
6630013032	30	ER32	50

CÓDIGO	ISO	PINZA	L
6630014016	40	ER16	70
6630014025	40	ER25	70
6630014032	40	ER32	80
6630014040	40	ER40	70

CÓDIGO	ISO	PINZA	L
6630015032	50	ER32	80
6630015040	50	ER40	70

PORTAMACHO CON COMPENSACION DIN 2080



SIN REFRIGERACION A

CÓDIGO	ISO	PINZA
6630714019	40	TIPO1 (19)
6630714031	40	TIPO2 (31)
6630714048	40	TIPO3 (48)

CÓDIGO	ISO	PINZA
6630715019	50	TIPO1 (19)
6630715031	50	TIPO2 (31)
6630715048	50	TIPO3 (48)
6630715060	50	TIPO4 (60)

PORTABROCA INTEGRAL DIN 2080



SIN REFRIGERACION A

CÓDIGO	ISO	CAPACIDAD	L
6630514013	40	1-13	98
6630514016	40	3-16	103

CÓDIGO	ISO	CAPACIDAD	L
6630515013	50	1-13	110
6630515016	50	3-16	150